

VILNIUS/INTL - EYVI

1. Koordinatės ir padėtis

54 38 13N 025 17 16E

6 km atstumu į pietus nuo Vilniaus miesto centro

2. Adresas

VĮ Lietuvos oro uostai,

Vilniaus filialas

Rodūnios kelias 10A

02189 Vilnius, Lietuva

Tel.: +370 5 232 9318

+370 5 273 9333

Faks. +370 5 232 9122

AFS: EYVIYDYX

3. Paskirtis

Skrydžiai pagal IFR ir VFR

4. Darbo valandos

AD administracija

Pirmadieniais - ketvirtadieniais:

0500 - 1400 (0400 - 1300)

Penktadieniais: 0500 - 1245 (0400 - 1145).

Aerodromo: H24.

Pastaba. Užsakomųjų skrydžių laikus derinti su Operatyvinio valdymo grupe:

Tel. +370 5 273 9333

Mob. +370 612 90 122

El. p. ops@vno.lt

5. Muitinė/Imigracija

H24

6. Degalai, tepalai ir priemonės nuo apledėjimo

Degalai: JET A1

Tepalai: nėra

Priemonės nuo apledėjimo: yra

Pastaba. Antžeminių paslaugų dažnis

131.750 MHz, šaukinys -

„Litcargus“.

7. Angarai atskrendantiems orlaiviams

Yra

8. Taisymo įranga atskrendantiems orlaiviams

Yra

9. Gelbėjimo ir priešgaisrinė tarnyba

Priešgaisrinė tarnyba: H24.

Priešgaisrinės įrangos kategorija: CAT 7.

Gelbėjimo įranga: yra.

1. Coordinates and location

54 38 13N 025 17 16E

6 km S from Vilnius

2. Address

State Enterprise Lithuanian Airports,

Vilnius branch

Rodūnios kelias 10A

LT-02189 Vilnius, Lithuania

Tel.: +370 5 232 9318

+370 5 273 9333

Fax. +370 5 232 9122

AFS: EYVIYDYX

3. Approved for

IFR and VFR flights

4. Operational hours

AD administration

MON - THU:

0500 - 1400 (0400 - 1300);

FRI: 0500 - 1245 (0400 - 1145).

Aerodrome: H24.

Note: For non-scheduled flights AD available strictly by agreement with the Airport Operations Service:

Tel.: +370 5 273 9333

Mob. +370 612 90 122

E-mail: ops@vno.lt

5. Customs/Immigration

H24

6. Fuel, Oil and De-icing Fluid, etc.

Fuel: JET A1

Oil: NIL

De-icing fluid: Available

Note: Ground handling service on frequency 131.750 MHz, call sign "Litcargus".

7. Hangar Space for Visitors

Available

8. Repair Facilities Available

Available

9. Rescue and Fire Fighting Service

Fire fighting service: H24.

Category for fire fighting equipment: CAT 7.

Rescue equipment: Available.

Jvykus avarijai aerodromo teritorijoje, gelbėjimo darbus atlieka aerodromo administracija, pasitelkusi aplink esančias paieškos ir gelbėjimo struktūras. Apie įvykį pranešti:

- a) priešgaisrinei tarnybai
Tel.: +370 5 213 6286
112
- b) Aeronautikos gelbėjimo koordinaciniam centrui
Tel.: +370 706 94 587
+370 706 94 588
+370 706 94 585
Mob. +370 610 46 024
- c) Civilinės aviacijos administracijai
Tel.: +370 5 273 9259
+370 5 273 9260
Mob. +370 698 85 945

10. Sezoninis tinkamumas
Sniego valymo įranga: yra

11. Viešbučiai
Mieste

12. Restoranas
Mieste

13. Turizmo biuras
Mieste

14. Medicinos įstaigos
Pirmoji pagalba AD
Ligoninės mieste

15. Transportas
Autobusai ir taksi, automobilių nuoma AD

- 16. Pastabos**
- a. Išskrendantys orlaiviai pradeda ryšį su TWR, kad gautų ATC leidimą dar prieš pradėdami riedėti. Naudojamasi 118.200 MHz dažniu. Išskrendantys orlaiviai 118.200 MHz dažniu gauna iš TWR leidimą stumti ir riedėti.
 - b. Mokomieji, pratybų bei techninių bandymų skrydžiai galimi tik Vilniaus TWR leidimu.

Atkreipkite dėmesį į tai, kad pirmumo teisę turės reguliarieji skrydžiai.

- c. Kilimo ir tūpimo tako klasifikacija:

<u>KTt Nr.</u>	<u>KTt kodas</u>	<u>Danga</u>
01	4E	Asfaltbetonis
19	4E	Asfaltbetonis

In emergency on the territory of aerodrome rescue and fire fighting service is provided by appropriate neighbouring authorities. An incident should be reported to:

- a) Fire fighting service
Tel.: +370 5 213 6286
112
- b) Aeronautical Rescue Coordination Centre
Tel.: +370 706 94 587
+370 706 94 588
+370 706 94 585
Mob. +370 610 46 024
- c) Civil Aviation Administration
Tel.: +370 5 273 9259
+370 5 273 9260
Mob. +370 698 85 945

10. Seasonal Availability
Snow clearing equipment: Available

11. Hotels
In the city

12. Restaurant
In the city

13. Tourist Office
In the city


14. Medical Facilities
First Aid at AD
Hospitals in the city

15. Transport
Buses and taxis, rent a car at AD

- 16. Remarks**
- a. Departing aircraft shall contact TWR to obtain the ATC clearance before taxiing. Frequency 118.200 MHz is to be used. Departing aircraft shall obtain the push-back and taxi clearance from TWR on 118.200 MHz.
 - b. School- and training, technical test flights can only be made after permission obtained from Vilnius TWR. It is to be noted that priority for scheduled flights will be prevail.

- c. RWY classification:


<u>RWY Nr.</u>	<u>RWY code</u>	<u>Surface</u>
01	4E	Asphalt-Concrete
19	4E	Asphalt-Concrete

VILNIUS / INTL

AD ELEV: 648'
ARP: 54 38 13N 025 17 16E

VILNIUS INFO 123.850

ELEV IN FT. BRG. TRACK ARE MAG



RWY Nr.	DIRECTION	THR	RWY DIMENSIONS MTOM (kg)	SURFACE	NOTES
01	022° TRUE	54 37 25N	2515 X 50	ASPHALT	TWY's lights: edge lights LIM
	014° MAG	025 16 43E			red stop bars lights holding
19	202° TRUE	54 38 41N	PCN 83	CONCRETE	positions TWY A, B, D, E
	194° MAG	025 17 35E	F / D / X / T		and F LIL
APCH lights: RWY 01 SFL 600m LIH CAT II RWY 19 LIH CAT I RWY lights: white, last 600 m yellow LIH white CL, next 600m white and red alternately last 300m red LIH green THR RTIL, TDZ RWY 01 900m white LIH red end lights LIH					
Visual slope PAPI RWY 01 3.0° MEHT (70FT) RWY 19 3.0° MEHT (72FT) Warnings: slope from THR 01 to ARP (+0.41%) slope from THR 19 to ARP (-1.08%)					

Changes: VAR and date of VAR; RWY MAG directions; RWY Nr.

AERODROME GROUND MOVEMENT
AND PARKING CHART

VILNIUS / INTL



APRON ELEV: 638'
ARP: 54 38 13N 025 17 16E

VILNIUS TWR : 118.200


VILNIUS ATIS 125.800

FIS : VILNIUS INFO 123.850

Not to Scale

Datum : WGS-84

ELEV IN FT



Changes: VAR and date of VAR; RWY Nr.


VISUAL APPROACH CHART

VILNIUS / INTL



AD ELEV: 648'
ARP: 54 38 13N 025 17 16E

VILNIUS TWR : 118.200 VILNIUS ATIS 125.800 VILNIUS INFO 123.850
Scale 1:200 000 Datum : WGS-84 ELEV IN FT, BRG, TRACK ARE MAG



Changes: VAR and date of VAR; data of CTR REP.

CTR REP

ALISI	EPINI
R-243/D7.0 VNO	R-098/D5.0 VNO
54 35 46N 025 06 19E	54 36 50N 025 25 54E
ATGEL	LEDVI
R-139/D6.0 VNO	R-263/D5.5 VNO
54 33 11N 025 23 21E	54 38 15N 025 08 06E